	Hits	Search Text	DBs
1	0	((partial and full) near5 (scan$5 displ$5)) and (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
2	2	((partial and full) adj4 (scan$5 displ$5)) with (subframe subfield)	USPAT; US-PGPUB
3	2	((partial and full) adj4 (scan$5 displ$5)) same (subframe subfield)	USPAT; US-PGPUB
4	12	((partial and full) near5 (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB
5	4	((partial and full) adj4 (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB
6	4	((partial) adj4 (scan$5 displ$5)) with (subframe subfield)	USPAT; US-PGPUB
7	10	((partial whole) adj4 (scan$5 displ$5)) with (subframe subfield)	USPAT; US-PGPUB
8	3	((partial and (full whole)) adj4 (scan$5 displ$5)) with (subframe subfield)	USPAT; US-PGPUB
9	3	((partial and (full whole)) near5 (scan$5 displ$5)) with (subframe subfield)	USPAT; US-PGPUB
10	0	((partial and (full whole)) near5 (scan$5 displ$5)) with (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
11	0	((partial and (full whole)) near5 (scan$5 displ$5)) and (subframe subfield)	EPO; JPO; DERWENT; IBM_TDB
12	16	((partial and (full whole)) near5 (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB
13	1988	((partial and (full whole)) near5 (scan$5 displ$5))	USPAT; US-PGPUB
14	564	((partial with (full whole)) near5 (scan$5 displ$5))	USPAT; US-PGPUB
15	11	((partial with (full whole)) same (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB
16	4	((partial with (full whole)) near5 (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB
17	5	((partial with (full whole)) with (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB
18	6	(((partial with (full whole)) same (scan$5 displ$5)) and (subframe subfield)) not (((partial with (full whole)) with (scan$5 displ$5)) and (subframe subfield))	USPAT; US-PGPUB
19	580	((partial near5 (full whole)) near5 (scan$5 displ$5))	USPAT; US-PGPUB
20	262	((partial near5 (full whole)) adj5 (scan$5 displ$5))	USPAT; US-PGPUB

	Hits	Search Text	DBs
21	109	((partial with (full whole)) adj (scan$5 displ$5))	USPAT; US-PGPUB
22	12	((partial near5 (full whole)) adj (scan$5 displ$5))	EPO; JPO; DERWENT; IBM_TDB
23	22	(((partial with (full whole)) adj (scan$5 displ$5))) not (((partial near5 (full whole)) adj (scan$5 displ$5)))	EPO; JPO; DERWENT; IBM_TDB
24	24	((partial with (full whole)) adj (scan$5 displ$5))	EPO; JPO; DERWENT; IBM_TDB
25	61	((partial near5 (full whole)) adj (scan$5 displ$5))	USPAT; US-PGPUB
26	85	(((partial with (full whole)) adj (scan$5 displ$5))) not (((partial near5 (full whole)) adj (scan$5 displ$5)))	USPAT; US-PGPUB
27	1	6028573.pn.	USPAT; US-PGPUB
28	0	((partial and full) near5 (scan$5 displ$5)) with (scan$5 near6 (disabled enabled))	EPO; JPO; DERWENT; IBM_TDB
29	1	((partial and full) near5 (scan$5 displ$5)) with (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB
30	4	((partial and full) with (scan$5 displ$5)) same (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	4	((partial and full) with (scan$5 displ$5)) same (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB
32	0	((partial and full) with (displ$5)) same (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	13	((partial and full) with (displ$5)) and (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	56	((partial) with (displ$5)) and (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	23	((partial) with (scan$5 displ$5)) same (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	2	((display adj off) with (scan$5 displ$5)) same (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	1542	(345/54,79-80,207,209,212-213,611-613).CCLS.	USPAT; US-PGPUB

	Hits	Search Text	DBs
38	0	((345/54,79-80,207,209,212-213,611-613).CCLS.) and ((part$5 with (full whole all)) with (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB
39	0	((345/54,79-80,207,209,212-213,611-613).CCLS.) and ((part$5 with (full whole all)) same (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB
40	72	((part$5 with (full whole all)) same (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	27	((345/54,79-80,207,209,212-213,611-613).CCLS.) and ((part$5 with (full whole all)) with (scan$5 displ$5))	USPAT; US-PGPUB
42	70	(((part$5 with (full whole all)) same (scan$5 displ$5)) and (subframe subfield)) not (((345/54,79-80,207,209,212-213,611-613).CCLS.) and ((part$5 with (full whole all)) with (scan$5 displ$5)))	USPAT; US-PGPUB
43	41	((part$5 with (full whole all)) with (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	6	((part$5 with (full whole all)) with (scan$5 displ$5)) with (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	7	((part$5 with (full whole all)) with (scan$5 displ$5)) same (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	41	((part$5 with (full whole all)) with (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	34	(((part$5 with (full whole all)) with (scan$5 displ$5)) and (subframe subfield)) not (((part$5 with (full whole all)) with (scan$5 displ$5)) same (subframe subfield))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	10	((part$5 with (full whole all)) same (scan$5 displ$5)) same (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	3	(((part$5 with (full whole all)) same (scan$5 displ$5)) same (subframe subfield)) not (((part$5 with (full whole all)) with (scan$5 displ$5)) same (subframe subfield))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
50	7	(((part$5 incomplete unfinished) with (full whole all)) with (scan$5 displ$5)) same (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	791	(345/212-213).CCLS.	USPAT; US-PGPUB
52	0	((345/212-213).CCLS.) and (((part$5 incomplete unfinished) with (full whole all)) with (scan$5 displ$5)) same (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	17	((345/212-213).CCLS.) and (((part$5 incomplete unfinished) with (full whole all)) with (scan$5 displ$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	27	((345/54,79-80,207,209,212-213,611-613).CCLS.) and (((part$5 incomplete unfinished) with (full whole all)) with (scan$5 displ$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	10	(((345/54,79-80,207,209,212-213,611-613).CCLS.) and (((part$5 incomplete unfinished) with (full whole all)) with (scan$5 displ$5))) not (((345/212-213).CCLS.) and (((part$5 incomplete unfinished) with (full whole all)) with (scan$5 displ$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	0	((345/54,79-80,207,209,212-213,611-613).CCLS.) and (((part$5 incomplete unfinished) with (full whole all)) with (scan$5 displ$5)) and (subframe subfield)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	651	(345/89).CCLS.	USPAT; US-PGPUB
58	15	((partial and (full whole)) near5 (scan$5 displ$5)) and ((345/89).CCLS.)	USPAT; US-PGPUB
59	2	((partial with (full whole)) near5 (scan$5 displ$5)) and ((345/89).CCLS.)	USPAT; US-PGPUB
60	1	((partial near5 (full whole)) near5 (scan$5 displ$5)) and ((345/89).CCLS.)	USPAT; US-PGPUB
61	2	(scan$5 with (displa$4 and non$1displa$4)) and speckle$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	2	(scan$5 same (displa$4 and non$1displa$4)) and speckle$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	7971	speckle$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
64	969	(scan$5 near3 line$4) and speckle$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	2	(scan$5 same (non$1displa$4)) and speckle$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	4	(scan$5 and (displa$4 and non$1displa$4)) and speckle$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	3	((partial) with (displ$5)) same (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	60	((partial) with (displ$5)) and (scan$5 near6 (disabled enabled))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	10	(scan$5 adj3 suppl$3) with non$2display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	20	(scan$5 adj3 suppl$3) same non$2display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	15	(scan$5 near3 suppl$3) with non$2display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	26	(scan$5 near5 suppl$3) with non$2display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	86	(scan$5 adj3 signal$3) with non$2display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	48	(scan$5 adj3 signal$3) with (non$2display adj2 (region area))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	43	(scan$5 adj3 signal$3) near5 non$2display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB